

ANALYTICA CHIMICA ACTA, VOL. 276 (1993)

AUTHOR INDEX

- Aguilera-Del Real, A., see Valverde-Garcia, A. 15
- Akaiwa, H., see Tsunoda, K.-i. 133
- Alfassi, Z.B., see Sun, Y.C. 33
- Ansell, K., see Lai, E.P.C. 393
- Araújo, A.N., see Nogueira, A.R.A. 121
- Aruga, R.
—, Mirti, P. and Casoli, A.
Application of multivariate chemometric techniques to the study of Roman pottery (terra sigillata) 197
- Back, M.H., see Chakrabarti, C.L. 47
- Beltrán, J.L.
—, Codony, R. and Prat, M.D.
Evaluation of stability constants from multi-wavelength absorbance data: program STAR 441
- Bergveld, P., see Cobben, P.L.H.M. 347
- Bianco-Prevot, A., see De la Guardia, M. 173
- Birch, S.W., see Cardosi, M.F. 69
- Bomer, J.G., see Cobben, P.L.H.M. 347
- Bos, M., see Cobben, P.L.H.M. 347
- Bosch Mossi, F., see Gimeno Adelantado, J.V. 39
- Bosch Reig, F., see Gimeno Adelantado, J.V. 39
- Branica, M., see Komorsky-Lovrić, Š. 361
- Brienza, S.M.B., see Nogueira, A.R.A. 121
- Broekaert, J.A.C., see Bulska, E. 377
- Brzozka, Z., see Cobben, P.L.H.M. 347
- Bubernak, J.
Liquid scintillation applied to alpha counting of plutonium 205
- Bulska, E.
—, Broekaert, J.A.C., Tschöpel, P. and Tölg, G.
Comparative study of argon and helium plasmas in a TM₀₁₀ cavity and a surfatron and their use for hydride generation microwave-induced plasma atomic emission spectrometry 377
- Cai, Q.
— and Khoo, S.B.
Determination of trace aluminium by differential pulse adsorptive stripping voltammetry of aluminium(III)-8-hydroxyquinoline complex 99
- Camacho-Ferre, F., see Valverde-Garcia, A. 15
- Cardosi, M.F.
— and Birch, S.W.
Screen printed glucose electrodes based on platinised carbon particles and glucose oxidase 69
- Casoli, A., see Aruga, R. 197
- Chakrabarti, C.L.
—, Lu, Y., Cheng, J., Back, M.H. and Schroeder, W.H.
Studies on metal speciation in the natural environment 47
- Chen, G.-Z., see Guo, X.-Q. 151
- Cheng, J., see Chakrabarti, C.L. 47
- Chung, Y.S., see Sakai, T. 127
- Chwastowska, J.
—, Żmijewska, W. and Sterlińska, E.
Preparation and analytical properties of a chelating resin loaded with thionalide 265
- Cobben, P.L.H.M.
—, Egberink, R.J.M., Bomer, J.G., Schouwenaar, R., Brzozka, Z., Bos, M., Bergveld, P. and Reinhoudt, D.N.
Chemically modified ion-sensitive field-effect transistors: elimination of the liquid junction potential in a double sensor flow-injection analysis cell 347
- Codony, R., see Beltrán, J.L. 441
- Costa Lima, J.L.F., see Nogueira, A.R.A. 121
- Cruz, I., see Kelly, A.G. 3
- De la Guardia, M.
—, Peris-Cardells, E., Morales-Rubio, A., Bianco-Prevot, A. and Pramauro, E.
Preconcentration of aluminium by micellar-enhanced ultrafiltration 173
- Desai, M., see Higson, S.P.J. 335
- Diamond, D.
— and Forster, R.J.
Robust estimation of selectivity coefficients using multivariate calibration of ion-selective electrode arrays 75
- Dindi, S.N.
— and Reddy, V.V.
Direct cerimetric determination of tellurium(IV) 465
- Doménech Carbó, M.T., see Gimeno Adelantado, J.V. 39
- Egberink, R.J.M., see Cobben, P.L.H.M. 347
- Emnéus, J.
— and Gorton, L.
Comparison between different inorganic supports for the immobilization of amyloglucosidase and α -amylase to be used in enzyme reactors in flow-injection systems. Part I. Hydrolysis of maltose, maltooligosaccharides and soluble starch 303
— and Gorton, L.
Comparison between different inorganic supports for the immobilization of amyloglucosidase and α -amylase to be used in enzyme reactors in flow-injection systems. Part II. Hydrolysis of glycogen 319

- Espinosa-Mansilla, A.
—, Muñoz de la Peña, A., Salinas, F. and Martínez-Galera, M.
Simultaneous determination of 2-furfuraldehyde, 5-hydroxymethylfurfuraldehyde and malonaldehyde in mixtures by derivative spectrophotometry and partial least-squares analysis 141
- Fernández-Romero, J.M.
—, Luque de Castro, M.D. and Valcárcel, M.
Flow-injection spectrophotometric enzymatic and non-enzymatic methods for the determination of direct and total bilirubin in serum 271
- Forster, R.J., see Diamond, D. 75
- Fujiwara, K., see Takeda, K. 25
- Gallego, M., see Yebra, M.C. 385
- Georges, J.
— and Ghazarian, S.
Study of europium-sensitized fluorescence of tetracycline in a micellar solution of Triton X-100 by fluorescence and thermal lens spectrometry 401
- Ghazarian, S., see Georges, J. 401
- Gimeno Adelantado, J.V.
—, Peris Martínez, V., Bosch Reig, F., Doménech Carbó, M.T. and Bosch Mossi, F.
Analysis of toxic elements in plastic components for toys. Multi-elemental determination by x-ray fluorescence 39
- Gómez Benito, C., see Laredo Ortiz, S. 281
- Gonzalez-Pradas, E., see Valverde-García, A. 15
- Gorton, L., see Emnéus, J. 303, 319
- Grätzel, M., see König, B. 329
- Guo, X.-Q.
—, Xu, J.-G., Wu, Y.-Z., Zhao, Y.-B., Huang, X.-Z. and Chen, G.-Z.
Determination of thiamine (vitamin B₁) by in situ sensitized photochemical spectrofluorimetry 151
- Guzowski, Jr., J.P., see Markelov, M. 235
- Hasebe, Y., see Uchiyama, S. 341
- He, R., see Wang, J. 419
- Higson, S.P.J.
—, Desai, M., Koochaki, Z. and Vadgama, P.M.
Glucose oxidase enzyme electrode: relation between inner membrane permeability and substrate response 335
- Huang, X.-Z., see Guo, X.-Q. 151
- Imai, O., see Takeuchi, T. 65
- Ishihara, H., see Uchiyama, S. 341
- Itabashi, H., see Tsunoda, K.-i. 133
- Karube, I., see Takeuchi, T. 65
- Katakay, R.
—, Parker, D. and Teasdale, A.
Comparative study of tripodal oxa-amides and oxa-esters as ionophores in potentiometric ion-selective electrodes for alkali and alkaline earth cations 353
- Katsu, T.
— and Yamanaka, K.
Potentiometric method for the determination of adenosine-5'-triphosphate 373
- Kelly, A.G.
—, Cruz, I. and Wells, D.E.
Polychlorobiphenyls and persistent organochlorine pesticides in sea water at the pg l⁻¹ level. Sampling apparatus and analytical methodology 3
- Khoo, S.B., see Cai, Q. 99
- Khots, M.S., see Vander Heyden, Y. 189
- Kobayashi, K., see Takeuchi, T. 65
- Komorsky-Lovrić, Š.
— and Branica, M.
Comparison of potentiometric stripping analysis and square-wave voltammetry with respect to the influence of Triton X-100 361
- König, B.
— and Grätzel, M.
Development of a piezoelectric immunosensor for the detection of human erythrocytes 329
- Koochaki, Z., see Higson, S.P.J. 335
- Kroon, H.
Determination of nitrogen in water: comparison of a continuous-flow method with on-line UV digestion with the original Kjeldahl method 287
- Kuang, W., see Xie, Q. 411
- Kubota, M., see Watanabe, T. 109
- Kvalheim, O.M., see Liang, Y.-z. 425
- Lai, E.P.C.
—, Statham, B.D. and Ansell, K.
Determination of beryllium(II) on solid substrates by photothermal spectrometry after selective complexation with Chrome Azurol S 393
- Laredo Ortiz, S.
—, Gómez Benito, C. and Martínez Calatayud, J.
Determination of fluphenazine hydrochloride in a flow assembly incorporating cerium(IV) arsenite as a solid-bed reactor 281
- Li, H.
— and Wolfbeis, O.S.
Determination of urease activity by flow-injection analysis using an ammonium-selective optrode as the detector 115
- Liang, Y.-z.
— and Kvalheim, O.M.
Unique resolution of hidden minor peaks in multidetection chromatography by first-order differentiation and orthogonal projections 425
- Liang, Y.-Z., see Xie, Y.-L. 455
- Ligon, Jr., W.V.
Azeotropic distillation as an enrichment strategy for determination of aromatic hydrocarbons 167
- Lin, Y.F., see Sun, Y.C. 33
- Lu, Y., see Chakrabarti, C.L. 47
- Luque de Castro, M.D., see Fernández-Romero, J.M. 271

- Markelov, M.
— and Guzowski, Jr., J.P.
Matrix independent headspace gas chromatographic analysis. The full evaporation technique 235
- Martínez-Galera, M., see Espinosa-Mansilla, A. 141
- Martínez Calatayud, J., see Laredo Ortiz, S. 281
- Massart, D.L., see Vander Heyden, Y. 189
- Masuda, Y., see Takeuchi, T. 65
- Mirti, P., see Aruga, R. 197
- Miwa, T., see Xu, J. 261
- Mlakar, M.
Square-wave voltammetry of uranyl-humate complex 367
- Morales-Rubio, A., see De la Guardia, M. 173
- Motomizu, S., see Sakai, T. 127
- Muñoz de la Peña, A., see Espinosa-Mansilla, A. 141
- Nie, L., see Xie, Q. 411
- Nie, L.H., see Shen, D.Z. 87
- Nogueira, A.R.A.
—, Brienza, S.M.B., Zagatto, E.A.G., Costa Lima, J.L.F. and Araújo, A.N.
Multi-site detection in flow analysis. Part 2. Monosegmented systems with relocating detectors for the spectrophotometric determination of boron in plants 121
- Ohno, N., see Sakai, T. 127
- Ohta, H., see Seto, Y. 247
- Parker, D., see Kataký, R. 353
- Peris-Cardells, E., see De la Guardia, M. 173
- Peris Martínez, V., see Gimeno Adelantado, J.V. 39
- Pramauro, E., see De la Guardia, M. 173
- Prat, M.D., see Beltrán, J.L. 441
- Reddy, V.V., see Dindi, S.N. 465
- Reinhoudt, D.N., see Cobben, P.L.H.M. 347
- Rosés, M.
Ionic equilibria in non-aqueous solvents. Part 1. General equations for calculation of pH, dissociation constants and reference potentials from potentiometric data 211
- Rosés, M.
Ionic equilibria in non-aqueous solvents. Part 2. Computer programs for calculation of pH, dissociation constants and reference potentials from potentiometric data 223
- Saito, T.
Determination by pyrolysis-gas chromatography of the phenolic resin concentration in particulate matter accumulated from traffic on roads 295
- Sakai, T.
—, Chung, Y.S., Ohno, N. and Motomizu, S.
Double-membrane phase separator for liquid-liquid extraction in flow-injection analysis 127
- Salinas, F., see Espinosa-Mansilla, A. 141
- Sawant, S.R., see Shukla, J.P. 181
- Schouwenaar, R., see Cobben, P.L.H.M. 347
- Schroeder, W.H., see Chakrabarti, C.L. 47
- Seto, Y.
—, Tsunoda, N., Ohta, H. and Shinohara, T.
Determination of blood cyanide by headspace gas chromatography with nitrogen-phosphorus detection and using a megabore capillary column 247
- Shen, D.Z.
—, Zhu, W.H., Nie, L.H. and Yao, S.Z.
Behaviour of a series piezoelectric sensor in electrolyte solution. Part I. Theory 87
- Shimizu, H., see Uchiyama, S. 341
- Shinohara, T., see Seto, Y. 247
- Shukla, J.P.
—, Singh, R.K., Sawant, S.R. and Varadarajan, N.
Liquid-liquid extraction of palladium(II) from nitric acid by bis(2-ethylhexyl) sulphoxide 181
- Singh, R.K., see Shukla, J.P. 181
- Statham, B.D., see Lai, E.P.C. 393
- Sterlińska, E., see Chwastowska, J. 265
- Sun, Y.C.
—, Yang, J.Y., Lin, Y.F., Yang, M.H. and Alfassi, Z.B.
Determination of antimony(III,V) in natural waters by coprecipitation and neutron activation analysis 33
- Suzuki, M., see Takeuchi, T. 65
- Takeda, K.
— and Fujiwara, K.
Determination of nitrate in natural waters with the photo-induced conversion of nitrate to nitrite 25
- Takeuchi, T.
—, Yokoyama, K., Kobayashi, K., Suzuki, M., Tamiya, E., Karube, I., Utsunomiya, K., Imai, O. and Masuda, Y.
Photosynthetic activity sensor for microalgae based on an oxygen electrode integrated with optical fibres 65
- Takeuchi, T., see Xu, J. 261
- Tamiya, E., see Takeuchi, T. 65
- Teasdale, A., see Kataký, R. 353
- Terajima, K., see Watanabe, T. 109
- Tölg, G., see Bulska, E. 377
- Tschöpel, P., see Bulska, E. 377
- Tsunoda, K.-i.
—, Itabashi, H. and Akaiwa, H.
Characteristics of potassium ion-doped glass slab optical waveguide as an absorption cell and its application to the spectrophotometric detection of Methylene Blue 133
- Tsunoda, N., see Seto, Y. 247
- Uchida, H.
Determination of major and minor elements in sintered fine ceramics by inductively coupled plasma emission spectrometry utilizing a sputtering technique 161
- Uchiumi, A., see Watanabe, T. 109
- Uchiyama, S.
—, Hasebe, Y., Shimizu, H. and Ishihara, H.
Enzyme-based catechol sensor based on the cyclic reaction between catechol and 1,2-benzoquinone, using L-ascorbate and tyrosinase 341
- Ureña-Amate, M.D., see Valverde-García, A. 15
- Utsunomiya, K., see Takeuchi, T. 65

- Vadgama, P.M., see Higson, S.P.J. 335
- Valcárcel, M., see Fernández-Romero, J.M. 271
- Valcárcel, M., see Yebra, M.C. 385
- Valverde-García, A.
—, Gonzalez-Pradas, E., Aguilera-Del Real, A., Ureña-Amate, M.D. and Camacho-Ferre, F.
Determination and degradation study of chlorothalonil residues in cucumbers, peppers and cherry tomatoes 15
- Vander Heyden, Y.
—, Khots, M.S. and Massart, D.L.
Three-level screening designs for the optimisation or the ruggedness testing of analytical procedures 189
- Varadarajan, N., see Shukla, J.P. 181
- Wang, J.
— and He, R.
Stopped-flow kinetic spectrophotometric method for the simultaneous determination of iron, titanium and vanadium 419
- Watanabe, T.
—, Terajima, K., Kubota, M. and Uchiumi, A.
Electrostatic effect of chelation with metal ions on streaming potentials in chelating resins containing formazan derivatives 109
- Wells, D.E., see Kelly, A.G. 3
- Wolfbeis, O.S., see Li, H. 115
- Wu, Y.-Z., see Guo, X.-Q. 151
- Xie, Q.
—, Kuang, W., Nie, L. and Yao, S.
Determination of traces of iron by thin-layer spectroelectrochemistry 411
- Xie, Y.-L.
—, Liang, Y.-Z. and Yu, R.-Q.
Identification of "grey" analytical systems with incomplete information 455
- Xin, M., see Xu, J. 261
- Xu, J.
—, Xin, M., Takeuchi, T. and Miwa, T.
Determination of oxidizable inorganic anions by reversed-phase ion-pair chromatography with amperometric detection 261
- Xu, J.-G., see Guo, X.-Q. 151
- Yamanaka, K., see Katsu, T. 373
- Yang, J.Y., see Sun, Y.C. 33
- Yang, M.H., see Sun, Y.C. 33
- Yao, S., see Xie, Q. 411
- Yao, S.Z., see Shen, D.Z. 87
- Yebra, M.C.
—, Gallego, M. and Valcárcel, M.
Automatic determination of reducing sugars by atomic absorption spectrometry 385
- Yokoyama, K., see Takeuchi, T. 65
- Yu, R.-Q., see Xie, Y.-L. 455
- Zagatto, E.A.G., see Nogueira, A.R.A. 121
- Zhao, Y.-B., see Guo, X.-Q. 151
- Zhu, W.H., see Shen, D.Z. 87
- Zmijewska, W., see Chwastowska, J. 265

Erratum

Anal. Chim. Acta, 273 (1992) 27–34
p. 33, 2nd column, 4th line:

$(I_p/\mu\text{A}) = 8.8 \times 10^6 (C_{\text{Ni(II)}}/\text{mol l}^{-1}) + 0.14$
should read

$(I_p/\mu\text{A}) = 4.4 \times 10^7 (C_{\text{Ni(II)}}/\text{mol l}^{-1}) + 0.14$

